Version: V1.2

材料安全数据表

MATERIAL SAFETY DATA SHEET

Prepared For

: Ganzhou Novel Battery Technology Co., Ltd.

申请商

Ganzhou Electronic Industry Area, Longnan Economic and Technological

Development Zone, Longnan, Ganzhou, Jiangxi, China

江西省赣州市龙南县龙南经济技术开发区赣州电子信息产业科技城

Prepared By

: Shenzhen LCS Compliance Testing Laboratory Ltd.

编制单位

深圳立讯检测股份有限公司

赣州诺威新能源有限公司

1/F., Xingyuan Industrial Park, Tongda Road, Bao' an Avenue, Bao' an

District, Shenzhen, Guangdong, China

深圳市宝安区西乡街道固戍社区塘西队西井工业区星源科技园B栋1楼

Issue Date

: 2019.01.02

发行日期

Report Number

报告编号

: LCS181220019ASD 200

Written by: AliSa Li

isa Li

Approved by:



REPORT NO.: LCS181220019ASD 200

* The MSDS is prepared based on the information provided by client. The contents and formats of this MSDS are revised as per client's request.这份材料安全数据表是根据客户提供的信息编辑,其内容和格式按客户要求来修订。

Section 1-Chemical Product and Company Identification 第一部分-化学品及企业标识			
Product Name 产品名称	Polymer Lithium ion Battery 聚合物锂离子电池		
Model 型号	1260110		
Trade Mark 商标			
Ratings 额定参数	3.7V, 10000mAh, 37Wh		
Weight 重量	173.2g		
Manufacturer 制造商	Ganzhou Novel Battery Teo 赣州诺威新能源有限公司	chnology Co., Ltd.	
Manufacturer Address 制造商地址	Zone, Longnan, Ganzhou, J	r Area, Longnan Economic and iangxi, China 齐技术开发区赣州电子信息产业	
Emergency Telephone 应急电话	+86-755-27793919		
Fax 传真	+86-755-27793919		
Section 2- Composition Information 第二部分-成分信息			
Chemical Composition	Chemical Formula	CAS No	Weight (%)

Chemical Composition 化学成分	Chemical Formula 化学式	CAS No. CAS号	Weight (%) 重量含量(%)
三元 Ternary Material	Li(NiCoMn)O2	/	40 - 45
石墨 graphite	С	7782-42-5	20- 25
六氟铁锂 Six fluorine iron lithium	LiPF6	21324-40-3	1 - 4
铜箔 Copper foil	Cu	7440-50-8	6-10
铝箔 Aluminum foil	Al	7429-90-5	3-7
镍 Nickel	Ni	7440-02-0030	1-3
铅 Lead	Pb	7439-92-1	无 Not Detected
镉 Cadmium	Cd	7440-43-9	无 Not Detected

材料安全数据表

Material Safety Data Sheet

REPORT NO.: LCS181220019ASD 200 汞 无 7439-97-6 Hg Mercury Not Detected Section 3- Hazards Identification 第三部分-危险性概述 **Emergency overview** N/A 紧急情况概述 不适用 Classification according to GHS Not a dangerous substance according to GHS 不属于GHS危险物品 GHS分类 Label elements: 标签元素 Hazard pictogram(s) No available 危险标签图 不适用 Signal word No available 提示语 不适用 Hazard statement(s) No available 危险声明 不适用 Precautionary statement(s): 预防声明 Prevention No available 不活用 预防 Response No available 反应 不适用 Disposal No available 处理 不适用 **Environmental hazards:** No relevant information 环境危害 无相关信息 Important symptoms: See section 11 for more information 重要症状 见第11部分更多信息 **Section 4- First Aid Measures** 第四部分-急救措施 Flush eyes with plenty of water for least 15 minutes, occasionally lifting the Eye contact upper and lower eyelids. Get medical aid. 万一接触,立即用大量的清水冲洗至少15分钟,翻起上下眼脸,直到化学的残 眼睛接触 留物消失为止,迅速就医。 Remove contaminated clothes and rinse skin with plenty of water or shower for 15 minutes. Get medical aid. Skin contact 万一接触,用大量的水冲洗至少15分钟,同时除去污染的衣物和鞋子,迅速就 皮肤接触 医。 Remove from exposure and move to fresh air immediately. Use oxygen if Inhalation available. 吸入 立即从暴露处移至空气清新处,如果呼吸困难给予输氧,立即就医。 Give at least 2 glasses of milk or water. Induce vomiting unless patient is Ingestion unconscious. Call a physician. 摄入 饮用两杯牛奶或水,如果当事人仍然清晰可以采取催吐的方法,并且立即就医。 **Section 5- Fire Fighting Measures** 第五部分-消防措施

REPORT NO.: LCS181220019ASD 200

Flash Point	N/A
燃点	不适用
Auto-Ignition Temperature	N/A
自燃温度	不适用
Extinguishing Media	H ₂ O, CO ₂
灭火介质	水,二氧化碳
Special Fire-Fighting Procedures	Self-contained breathing apparatus
特殊灭火程序	自给式呼吸器
Unusual Fire and Explosion Hazards 异常火灾或爆炸	Cell may vent when subjected to excessive heat-exposing battery contents 当电芯暴露于过热的环境中时,安全阀可能会打开
Hazardous Combustion Products 燃烧产生的危险物品	Carbon monoxide, carbon dioxide, lithium oxide fumes. 一氧化碳,二氧化碳,锂氧化物烟气

Section 6- Accidental Release Measures

第六部分-泄露应急处理

Personal precautions, protective equipment and emergency procedures:

If the battery is released, remove personnel from area until fumes dissipate. Provide maximum ventilation to clear out hazardous gases. The preferred response is to leave the area and allow the vapors to dissipate, Avoid skin and eyes contact or inhalation of vapors. Remove spilled liquid with absorbent and incinerated. If leakage of the battery happens, liquid could be absorbed by using sand, earth or other inert substance and contaminated area should be ventilated meantime.

个人预防措施、保护设备和应急程序:

如果电池被泄露,让人员离开该区域直到烟雾消散。提供最大限度的通风,清除有害气体。首选的反应就是离开这个地区并消散气体,避免皮肤和眼睛接触或吸入气体。用吸收剂清除溢出的液体然后焚烧。如果电池泄漏发生时,液体可以用砂、泥土或其他惰性物质来吸收,污染区域应该保持通风。

Environment precautions:

Do not allow product to reach sewage system or any water source.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

环境预防措施:

不允许产品到达排水系统或任何水源。

如果渗透进排水系统或任何水源, 通知相应的部门。

不允许进入下水道/表面或地下水。

Methods and material for containment and cleaning up:

If battery casing is dismantled, small amounts of electrolyte may leak. Collect all released material in a plastic lined container. Dispose off according to the local law and rules, Avoid leached substances to get into the earth, canalization or waters.

抑制和清理材料的方法:

如果电池外壳被拆除,少量电解液可能会泄漏。收集所有材料放进一个塑料容器。根据当地的法律法规来处置,避免可溶物质进入大地、下水道或水源。

Section 7- Handling and Storage

第七部分-操作处置和储存

材料安全数据表 Material Safety Data Sheet REPORT NO.: LCS181220019ASD 200

	REPORT NO ECS161220019ASD 200
Handling 操作处置	The battery should not be opened, destroyed or incinerate, since they may leak or rupture and release to the environment the ingredients that they contain in the hermetically sealed container. Do not short circuit terminals, or over charge the battery, forced over-discharge, throw to fire. Do not crush or puncture the battery, or immerse in liquids. 禁止打开、毁坏或焚烧电池,因为电池有可能在这些处理过程中发生爆炸、破裂或泄露等事故。 禁止将电池短路、过充、强制放电或扔入火中。 禁止挤压或刺穿电池,或将电池浸入溶液中。
Storage 储存	Avoid mechanical or electrical abuse. Storage preferably in cool, dry and ventilated area, which is subject to little temperature change. Storage at high temperatures should be avoided. Do not place the battery near heating equipment, nor expose to direct sunlight for long periods. 禁止物理或电滥用,禁止高温储存,最好将电池储存在阴凉、干燥、通风及温度变化较小的环境中。 禁止将电池接触加热设备,或将电池长时间直接暴露在阳光中。
Other Precautions 其他要注意的防范措施	The battery may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity. 拆解、挤压、直接放入火中或高温条件下,电池可能发生爆炸和燃烧。 禁止短接或将电池正负极错误的安装在设备中。
Section 8- E	xposure Controls/Personal Protection 第八部分-接触控制和个体防护
Engineering Controls 设计控制	Use local exhaust ventilation or other engineering controls to control sources of dust, mist, fumes and vapor. Keep away from heat and open flame. Store in a cool, dry place. 设计局部排气通风或其它设计来控制粉尘、雾、烟雾和气体。
Personal Protective Equipment 个人防护装备	Respiratory Protection: Not necessary under normal conditions. Skin and body Protection: Not necessary under normal conditions, Wear suitable protective clothing and gloves if handling an open or leaking battery. Hand protection: Wear suitable gloves if handling an open or leaking battery. Eye Protection: Not necessary under normal conditions, Wear safety glasses if handling an open or leaking battery. 呼吸防护: 在正常情况下不需要。 皮肤和身体防护: 在正常情况下不需要, 如果处理一个裂开的或泄漏的电池需要穿戴适当的防护服和手套。 手保护: 如果处理一个裂开的或泄漏的电池需要戴适当手套。 眼睛保护: 在正常情况下不需要, 如果处理一个裂开的或泄漏的电池需要戴上安全眼镜。
<u> </u>	Have a safety shower and eye wash fountain readily available in the
Other Protective Equipment 其它防护装备	immediate work area. 在工作区域应该有一个立即可以使用的安全淋浴和喷水洗眼器。

材料安全数据表 Material Safety Data Sheet REPORT NO.: LCS181220019ASD 200

Section 9- Physical and Chemical Properties 第九部分-物理和化学特性	
Form	Solid
形态	固体
Color	Silvery
颜色	银色
Odour	No available
气味	不适用
pH	No available
酸碱度	不适用
Melting point/freezing point	No available
熔点/凝固点	不适用
Boiling Point and Boiling range	No available
沸点、沸点范围:	不适用
Flash Point	No available
易燃度	不适用
Upper/lower flammability or explosive limits	No available
自燃或爆炸的上、下极限	不适用
Vapor Pressure	No available
蒸汽压	不适用
Vapor Density	No available
蒸汽密度	不适用
Relative density	No available
相对密度	不适用
Solubility in Water	No available
水溶性	不适用
Auto-ignition temperature	No available
自燃温度	不适用
Decomposition temperature	No available
分解温度	不适用
Evaporation rate	No available
蒸发速率	不适用
Flammability (soil, gas)	No available
易燃性(土壤、天然气)	不适用
Viscosity	No available
粘性	不适用
Section 10- Stability and reactivity 第十部分 稳定性和反应活性	
Stability 稳定性	The product is stable under conditions described Section 7 产品在第七部分所诉的条件下稳定
Conditions to Avoid 应避免的条件	Heat above 70°C or incinerate. Deform, Mutilate, Crush, Disassemble, Overcharge, Short circuit, Expose over a long period to humid conditions. 加热 70°C 以上或焚烧、变形、毁坏、粉碎、拆卸、过充电、短路,长时间暴露在潮湿的条件下。

材料安全数据表 Material Safety Data Sheet REPORT NO.: LCS181220019ASD 200

	REPORT NO.: LCS181220019ASD 200
Incompatible Materials	Oxidizing agents, acid, base.
不兼容的材料	氧化剂,酸,碱。
Hazardous Decomposition Products 危险分解物	Carbon monoxide, carbon dioxide, lithium oxide fumes. 一氧化碳、二氧化碳、氧化锂烟雾。
Possibility of Hazardous Reaction 危险反应的可能性	Not Available 不适用
Section	on 11 – Toxicological Information 第十一部分-毒理学资料
Irritation 刺激	Risk of irritation occurs only if the cell is mechanically, thermally or electrically abused to the point of compromising the enclosure. If this occurs, irritation to the skin, eyes and respiratory tract may occur. 如果电芯的外壳受到机械、热或电的滥用到达一定程度,会发生刺激的风险。如果发生这种情况,可能会刺激皮肤、眼睛和呼吸道。
Sensitization	Not Available
致过敏	不适用
Neurological Effects	Not Available
影响神经系统	不适用
Teratogenicity	Not Available
致畸	不适用
Reproductive Toxicity	Not Available
再生毒性	不适用
Mutagenicity (Genetic Effects)	Not Available
诱变(遗传效应)	不适用
Toxicologically Synergistic Materials 附带材料毒理性	Not Available 不适用
Sec	tion 12- Ecological Information 第十二部分-生态学资料
Ecological Toxicity	Not Available
生态毒性	不适用
Mobility in soil	Not Available
在土壤中的流动性	不适用
Persistence and Degradability	Not Available
持久性和分解性	不适用
Bioaccumulation potential	Not Available
生物聚积	不适用
Other Adverse Effects	Not Available
其他不利影响	不适用
Sect	ion 13- Disposal Considerations 第十三部分-废弃处置

REPORT NO.: LCS181220019ASD 200

Product disposal recommendation 产品废弃处理建议	Observe local, state and federal laws and regulations. 遵守当地、州和联邦法律和法规。	
Packaging disposal recommendation 包装处理建议	Disposal must be made according to official regulations 废弃处理必须根据当地法规	
Sec	ction 14 – Transport Information 第十四部分-运输信息	
Label for conveyance 运输标签	Lithium Battery Label 锂电池标签	
UN Number UN编号	UN 3480 or UN 3481 UN 3480 或 UN 3481	
Transport hazard class(es) 运输风险类别	9	
Packing group 包装等级	II	
Marine pollutant 海洋污染物	No 无污染	
UN Proper shipping name 联合国运输专用名称	Lithium ion Batteries (Including lithium ion polymer batteries) 理离子电池(包括锂离子聚合物电池) Lithium ion Batteries packed with equipment (Including lithium ion polymer batteries) 理离子电池和设备包装在一起(包括锂离子聚合物电池)	
	EITHIUM ion Batteries contained in equipments (Including lithium ion polymer	

Transport information:

Polymer Lithium-ion Cell (Sample Model: 1260110) is tested and has passed in accordance with UN manual of Tests and Criteria, Part III, subsection 38.3.

设备里内含锂离子电池(包括锂离子聚合物电池)

The goods shall be complied with the requirements of Section IB~II of Packing Instruction 965 or of Section I of Packing Instruction 966 967 of 60th DGR Manual of IATA or special provision 188 of IMDG CODE (Amdt. 39-18).

batteries)

Separate Lithium-ion batteries when shipping to prevent short-circuiting. They should be packed in strong packaging for support during transport, ensure that the goods will not falling, dropping, and breakage, Prevent collapse of cargo piles and wet by rain.

Transport Fashion: By air, by sea, by railway, by road.

此聚合物锂离子电芯(型号: 1260110)已按照联合国《关于危险品货物运输的建议书试验和标准手册》第三部分,第38.3节的标准进行测试,测试通过。

货物应遵守IATA第60版DGR手册包装说明965第IB~II节规定或966 967 第I节规定和海运危险货物规则(Amdt. 39-18)的特殊规定188,包括通过UN38.3测试手册要求。

单独的锂离子电池在运输中应防止短路。他们应该在运输期间用坚固的包装来固定,确保货物不会倾斜,掉落和破损,防止货物倒塌和被雨水浸湿。

运输方式: 空运, 海运, 铁路, 公路。

Section 15- Regulatory information

REPORT NO.: LCS181220019ASD 200

第十五部分 法规信息

Law information

法律信息

《Dangerous Goods Regulations》

《危险物品规则》

《Recommendation on the Transport of Dangerous Goods Model Regulations》

《对危险货物运输的有关规定的建议》

《International Maritime Dangerous Goods》

《国际海运危险货物规则》

《Technical Instructions for the Safe Transport of Dangerous Goods》

《危险品安全运输技术指令》

《Classification and code of dangerous Goods》

《危险货物分类和品名编号》

《Occupational Safety and Health Act》(OSHA)

《职业安全卫生法》

《Toxic Substance Control Act》(TSCA)

《有毒物质控制法》

《Consumer Product Safety Act》(CPSA)

《消费产品安全法》

《Federal Environmental Pollution Control Act》(FEPCA)

《联邦环境污染控制法》

《The Oil Pollution Act》(OPA)

《石油污染控制法》

«Superfund Amendments and Reauthorization Act TitleIII (302/311/312/313)» (SARA)

《超级基金修正案和再授权法案III(302/311/312/313)》

《Resource Conservation and Recovery Act》(RCRA)

《资源保护及恢复法案》

《Safety Drinking Water Act》(CWA)

《安全饮用水法》

《California Proposition 65》

《加州65提案》

《Code of Federal Regulations》(CFR)

《美国联邦法规》

In according with all Federal, State and local laws.

根据所有联邦、州和地方法律。

Section 16- Other Information

第十六部分-其它信息

The information above is believed to be accurate and represents the best information currently available to us. However, concorde makes no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. Although reasonable precautions have been taken in the preparation of the data contained herein, it is offered solely for your information, consideration and investigation. This material safety data sheet provides guidelines for the safe handling and use of this product; it does not and cannot advise on all possible situations, therefore, your specific use of this product should be evaluated to determine if additional precautions are required.

上面的信息被认为是准确代表了目前最好的信息提供给我们。然而,飞机没有对商品性能保证或任何其他保证,包括明示或暗示,对这类信息的使用我们不承担责任。用户应作出自己的调查,以确定是否适合其特定用途的信息。虽然在此

REPORT NO.: LCS181220019ASD 200

处所包含的数据的准备已经采取了合理的预防措施,这是仅为你提供的信息、考虑和调查。这个化学品安全技术说明书为本产品提供了安全操作指南和使用指南,它并不能对所有可能发生的情况提供建议,因此,您特殊使用该产品应先进行评估,以确定是否需要额外的预防措施。

-- End of Report ---- 报告结束 --